

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Johnston et al )  
Ser. No.: Continuation of SN 10/008,671 )  
Filed: July 25, 2003 )  
Title: Carbon Monoxide and Smoke )  
Detection Apparatus )  
Group Art Unit: Not Assigned )  
Examiner: Not Assigned )  
Docket No.: 8365/90247 (BRK-P-0393 US) )

RECEIVED  
CENTRAL FAX CENTER

FEB 19 2004

OFFICIAL

**CHANGE OF CORRESPONDENCE ADDRESS**  
**PURSUANT TO 37 CFR 1.33**

MS - Correspondence Change  
Commissioner of Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Dear Sir:

Undersigned attorney is hereby advising the United States Patent Office of a change in correspondence address in the above-identified application. All correspondence should be addressed to Paul M. Vargo at the following law firm:

WELSH & KATZ, LTD.  
120 South Riverside Plaza, 22nd Floor  
Chicago, Illinois 60606  
(312) 655-1500 (telephone)  
(312) 655-1501 (facsimile)  
FIRM CUSTOMER NO. 24628

Respectfully submitted,

BY

  
Paul M. Vargo, Reg. No. 29,116

WELSH & KATZ, LTD.  
120 South Riverside Plaza, 22nd Floor  
Chicago, Illinois 60606  
(312) 655-1500